

SUPPLEMENT TO



The Gazette of India

No. 21] NEW DELHI, SATURDAY, MAY 31, 1958 [YAISTA 10, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd May, 1958

*IR attacks relate to w/e 26-4-58

Explanation of Symbols used:—C. = Cases; D. = Deaths; . = Nil; "N. R." = information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd May, 1958 -contd.

	CHOLERA				SMALLPOX				PLAQUE					CHOLERA				SMALLPOX			
	C.	D.	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Orissa												Uttar Pradesh—contd.									
Cuttack	37	—	Deoria	41	13
Balasore	8	2	..	—	Etawah	33	11
Puri	.	.	10	4	66	20	..	—	Etah	18	9
Sambalpur	.	.	4	4	69	29	..	—	Farrukhabad	17	2
Ganjam	.	.	11	6	107	29	..	—	Fatehpur	1	2
Koraput	75	12	Faizabad	63	19
Mayurbhanj	114	12	—	—	Garhwal	3	1
Dhenkanal	—	5	1	Ghazipur	121	45
Keonjhar	8	Gondia	9	3
Bolangir Patna	13	6	Gorakhpur	69	19
Sundargarh	12	2	Hardoi	1	2
Kalahandi	2	87	20	Shahranpur	2
TOTAL	.	.	25	16	601	133	Jalaun	4
Total for w/e 26-4-58	42	20	758	170	Jaunpur	8	6
Total for w/e 19-4-58	27	11	804	152	Jhansi	10	1
Pondichery												Uttar Pradesh									
TOTAL	7	3	Kanpur	99	29
Total for w/e 26-4-58	7	2	Kheri	9	7
,, 19-4-58	7	2	Banda	26	1
Punjab												Uttar Pradesh									
“N. R.”												Uttar Pradesh									
Rajasthan												Uttar Pradesh									
“N.R.”												Uttar Pradesh									
Tripura												Uttar Pradesh									
“ N.R. ”												Uttar Pradesh									
Uttar Pradesh												Uttar Pradesh									
Agra	12	6	Rae Bareilly	1
Aligarh	10	7	Rampur	4	1
Allahabad	—	6	5	Shahjahanpur	3	2
Almora	12	5	Sitapur	8	1
Azamgarh	50	16	Sultanpur	3	1
Bareilly	2	1	Varanasi	1	3
Ballia	78	20	Unnao	4	1
Basti	38	4	Tehri Garhwal	4	1
Budruk	4	1	TOTAL	930	281
Bulandshahr	3	2	Total for w/e 26-4-58	839	297
Dehra Dun	9	1	Total for w/e 19-4-58	840	286

Explanation of symbols used :— C.—Cases; D.—Deaths; .—NM; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd May, 1958—contd.

	Cholera Smallpox Plague						Cholera Smallpox Plague							
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.		
West Bengal "N.R."						Himachal Pradesh—contd. w/e. 26-4-58								
Total for India (Excluding Andhra Pradesh, Bihar, Bombay, Himachal Pradesh, Madhya Pradesh, Mysore, Punjab, Rajasthan, Tripura and West Bengal)	26	16	2,040	552	Bilaspur	..	I		
Corresponding Total for w/e 26-4-58	50	24	1,972	581	TOTAL	..	I		
Corresponding Total for w/e 19-4-58	50	24	2,152	605	Rajasthan w/e. 8-2-58							
ARREAR INFORMATION														
Punjab w/e. 26-4-58														
Rohtak	4	I	Jaipur	27		
Karnal	I	S. Madhopur	53		
Ambala	3	I	Jhunjhunu	13		
Hoshiarpur	I	I	Sikar	10		
Ferozepur	2	I	Bharatpur	6		
TOTAL	II	4	Nagaur	4		
West Bengal w/e. 26-4-58														
Burdwan	18	11	419	13	Jaipur	61		
Birbhum	9	4	143	44	S. Madhopur	31		
Bankura	27	15	18	29	Sikar	8		
Midnapur	15	8	84	41	Bharatpur	4		
Hooghly	34	18	50	27	Nagaur	3		
Howrah	173	48	34	22	Jalore	20		
24—Parganas	209	86	169	92	Barmer	7		
Calcutta	648	310	6	6	Sirohi	37		
Nadia	3	..	72	35	Bikaner	3		
Murshidabad	88	46	Churu	8		
West Dinajpur	50	10	Ganganagar	12		
Jalpaiguri	4	2	TOTAL	194		
Malda	I	..	156	59				44		
Cooch-Behar	7	2	w/e. 1-3-58					
Purulia	I	36	15	Jaipur	19		
TOTAL	1,137	501	1,404	562	S. Madhopur	41		
Himachal Pradesh w/e. 12-4-58														
Chamba	2	I	Jhunjhunu	24		
TOTAL	2	I	Sikar	20		
w/e. 19-4-58														
TOTAL	Bharatpur	5		

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd May, 1958—*contd.*

Explanation of Symbols used:—C—Cases; D—Deaths; . . . = NIL.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd May, 1958—contd.

	CHOLERA SMALLPOX PLAGUE							CHOLERA SMALLPOX PLAGUE						
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Bombay—contd.						Madhya Pradesh—contd.								
<i>w/e 26-4-1958</i>														
Greater Bombay	113	29	Indore	15	1	
Ahmedabad	4	1	Sagar	144	5	
Amravati	7	1	Hoshangabad	15	..	
Banaskanth	2	Narsinghpur	8	3	
Baroda	17	8	Itarabua	11	..	
Broach	25	6	Balaghat	217	36	
Kaira	11	3	Mandsaur	36	..	
Mehsana	1	1	Surguja	15	..	
Surat	5	1	Ratlam	8	..	
Gohilwad	18	2	Ujjain	45	13	
Kutch	4	Durg	23	..	
Sorath	2	Seoni	121	..	
Ahmednagar	5	Damoh	46	2	
East Khandesh	..	3	1	247	31	Raipur	27	7	
Kolaba	17	TOTAL	66	23	728	78	..	
Naasik	22	3							
Poona	16	4	<i>w/e 12-4-1958</i>						
Ratnagiri	5	1	Gwalior	3	1	
North Satara	3	2	Ratlam	6	..	
South Satara	13	2	Ujjain	43	16	
Sholapur	6	2	Durg	59	17	21	3	..	
West Khandesh	..	6	2	21	2	Hoshangabad	44	..	
Akola	54	4	Itarabua	2	..	
Amravati	23	5	Raigarh	29	1	
Bhandara	18	4	Sagar	108	10	
Buldhana	169	27	Damoh	124	31	
Chanda	145	4	Raipur	34	5	
Nagpur	58	23	Bilaspur	
Wardha	6	Mandsaur	35	6	
Yeotmal	56	17	Nimar (Khargone)	46	13	
Osmanabad	5	2	Indore	24	14	
Nanded	..	220	35	Sehore	2	..	
Panchmahals	10	1	Bhind	8	..	
TOTAL	..	229	38	1096	182	Surguja	12	8	
Madhya Pradesh														
<i>w/e 5-4-1958</i>														
Bilaspur	..	2	2	Mandla	34	3	
Nimar (Khardwa)	8	TOTAL	94	23	541	106	..	
Raigarh	..	32	12	125	18							

Explanation of Symbols used :—C—Cases; D—Deaths; .. = Nil.

* Revised cases and deaths are being reported in Kamrup Distt.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd May, 1958—concl'd.

	CHOLERA						SMALLPOX						PLAQUE								
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.			
Mysore												<i>For w/e 26-4-1958</i>									
<i>w/e 19-4-58</i>																					
Bangalore	50	11	Bangalore	24	9			
Chitaldrug	..	1	9	1	Chitaldrug	23	5			
Chikmagalur	3	Chikmagalur	2			
Kolar	4	Kolar	2	3			
Mandyā	7	2	Mandyā	7	1			
Mysore	49	20	25	8	Mysore	60	14			
Shimoga	3	1	Shimoga	2			
Tumkur	4	1	Tumkur	1			
Bellary	2	2	3	Bellary	43	22	9			
Bidar	35	6	Raichur	3	1	11	3			
Raichur	21	6	Belgaum	11	2			
Belgaum	13	7	3	Bijapur	1			
Bijapur	6	4	9	North Kanara	6	3			
Dharwar	2	South Kanara	4	1			
North Kanara	6	Coorg (Mercara)	1			
South Kanara	5	3	TOTAL	57	25	153	39			
Coorg (Mercara)	26	1	TYPHUS FEVER												
TOTAL	92	39	194	34	(Information based on patients treated in hospitals of important towns)												
<i>For w/e 12-4-1958.</i>																					
Mandyā	1	Bombay	
Mysore	1	w/e 31-3-58	(Fleaborne variety)	..	
Bidar	16	3	REMARKS											
Bangalore	18	3	<i>Small-pox.</i> —Heavy incidence of the disease was reported from the districts of Sambalpur, Ganjam and Koraput of Orissa State, Ballia and Kanpur of Uttar Pradesh and from the city of Madras.											
	<i>w/e 5-4-1958</i>																				
Mandyā	5	Ghazipur district of Utter Pradesh and Mayurbhanj and Kalahandi districts of Orissa State reported Epidemic conditions during the week under report.	
Bidar	24	7	..													

Explanation of Symbol used :—C = Cases ; D = Deaths ; .. = Nil.

NEW DELHI-2 (INDIA);
The 26th May, 1958 } }

H. R. SHARMA,
for Registrar General India.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd May, 1958

Deaths from:—

Town	Mid-year Popn. Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
------	---------------------------------	----	-------	----	----	----	----	------	------	------	-------	-------	------

Andhra Pradesh

"N.R."

Assam

"N.R."

Bihar

Patna	371	59	8.3	2	1	17	2.4	..
Bihar	70	12	8.9	..	2	..	2	5	3.7	..
Dinapur	45	2	2.3	2	4	4.6	..
Gaya	159	14	4.6	19	3	17	..	57	18.6	..
Arrah	74	15	10.5	4	..	1	..	10	7.0	..
Chapra	72	38	27.4	2	1	..	1	22	15.9	1
Bettiah	40	8	18.4	1	1	1	..	6	7.8	1
Muzaffarpur	92	51	28.8	8	2	49	27.7	..
Darbhanga	98	21	11.1	..	8	..	3	..	1	..	16	8.5	..
Monghyr†	46	2	2.2	..	1	..	2	3	3.2	..
Jamalpur	133	23	9.0	28	10.9	..
Bhagalpur													
Ranchi	157	15	5.0	..	2	..	7	15	5.0	6
Jamshedpur													
Katihar	60
Hazari bagh	42	10	12.4	9	11.1	1
Dhanbad	48	10	10.8	1	1	6	6.5	..
TOTAL	1,509	280	9.6	..	13	..	50	8	21	4	247	8.5	9

Bombay

"N.R."

Delhi

Delhi City	1,372	441	16.7	90	16	32	..	241	9.1	62
New Delhi	589	135	11.9	1	6	9	..	60	5.3	18
N.A.C. Civil Station, Delhi	223	53	12.6	..	4	..	1	1	15	3.5	4
Delhi Cantt.	62	17	14.3	..	1	..	2	1	3	2.5	
Delhi-Shahdara	50	37	38.5	9	..	1	..	13	13.5	3
TOTAL	2,296	683	15.5	..	5	..	103	22	42	1	332	7.5	87

Kerala

"N.R."

Madhya Pradesh

"N.R."

Madras

Ambur	48	21	22.8	1	1	..	5	5.4	1
Arrupukottai	62	20	16.8	1	4	1	1	15	12.6	7
Bodinayakumur	43	44	53.2	1	1	1	7	8.5	1
Chidambaram	43	45	54.4	2	..	2	..	14	16.9	6
Coimbatore	267	232	45.2	..	3	..	3	11	22	1	104	20.3	34
Cuddalore	76	61	41.7	3	1	3	..	17	11.6	4
Dindigul	100	109	56.7	5	2	3	2	22	11.4	6
Erode	77	89	60.1	1	6	..	18	12.2	3
Gobichetipalayam	48	20	21.7	1	..	2	..	7	7.6	2
Gudiyattam	58	25	22.4	1	6	1	..	17	15.2	3
Kancheepuram	93	53	29.6	..	1	6	8	1	32	17.9	5
Karaikudi	47	40	44.3	2	7	7.7	1
Karur	57	46	42.0	3	2	1	..	16	14.6	5
Kumtakonam	115	90	40.7	3	3	2	1	28	12.7	6
Madras City	2,011	1,225	31.7	..	35	..	88	85	173	3	682	17.6	214

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B. = Birth ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil information "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd May, 1958—contd.

Deaths from :—

Town	Mid-year Popn. Est. (000)	Deaths from :—											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras—contd.													
Madurai	488	224	23.9	17	5	19	..	93	9.9	24
Mayuram	53	75	73.6	—	..	1	..	11	10.8	3
Malapalayam	43	17	20.6	1	4	4.8	..
Nagapattinam†													
Nagercoil	109	33	15.7	8	..	6	..	18	8.6	3
Ootacamund	53	38	37.3	—	1	6	..	13	12.8	..
Palni	44	38	44.9	6	1	11	13.0	..
Palayamkottai	48	49	53.1	7	1	1	1	18	19.5	6
Periyakulam	35	18	26.7	2	1	4	5.9	..
Pollachi	60	40	34.7	2	4	..	19	16.5	3
Pudukkottai	54	40	38.5	2	1	2	..	12	11.6	3
Rajapalem	74	36	25.3	1	..	5	..	13	9.1	3
Salem	279	150	28.0	4	5	10	1	56	10.4	8
Sriangam	46	24	27.1	1	1	..	13	14.7	4
Srirangamputturai	45	20	23.1	4	13	15.0	2
Tanjore	133	83	32.5	2	1	1	..	29	11.3	3
Tiruchirappalli	276	165	31.1	4	1	13	2	57	10.7	8
Tirunelveli	84	55	34.0	3	4	7	1	22	13.6	3
Tiruppur	73	44	31.3	1	1	4	..	13	9.3	3
Tiruvannamalai	47	38	42.0	3	1	12	13.3	4
Tuticorin	121	93	40.0	1	5	12	..	35	15.0	7
Vaniyambadi	45	43	49.7	2	3	..	14	16.2	7
Vellore	141	110	40.6	..	21	4	12	1	73	26.9	17
Villupuram	42	36	44.6	2	..	2	1	9	11.1	2
Virudhunagar	57	32	29.2	1	2	1	..	13	11.9	6
TOTAL	5,595	3,621	33.7	..	57	..	170	159	341	20	1,566	14.6	417
Mysore													
Bangalore	1,246	534	22.3	..	8	..	10	70	107	..	333	13.9	8
Mysore	347	124	18.6	24	7	7	..	83	12.4	1
Kolar Gold Fields	180	77	22.2	..	1	..	4	4	6	..	42	12.1	1
Bellary	83	24	15.0	2	..	20	12.5	4
Davanagere	85	27	16.5	9	20	12.2	..
Shimoga	68	24	18.4	4	1	9	6.9	1
Bhadravati†													
Hospet†													
Tumkur	51	19	19.4	1	1	1.0	..
Kolar†													
Chitaldrug	37	8	11.2	4	5.6	..
Hasan†													
Bidar†													
Gulbarga	101	25	12.9	2	..	1	1	6	3.1	1
Raichur†													
Belgaum	110	20	9.5	1	1	1	..	17	8.0	..
Bijapur	82	13	8.2	1	9	5.7	1
Dharwar	85	36	22.0	4	..	18	11.0	..
Mangalore†													
Bagalkot	39	25	33.3	11	..	2	..	5	6.7	..
Hubli†													
Gadag (Bettigere)	73	37	26.4	15	..	4	1	29	20.7	..
TOTAL	2,587	993	20.0	..	9	..	72	83	134	2	579	11.6	17
Orissa													
Behrampur	81	35	22.5	2	3	3	..	16	10.3	3
Cuttak	129	111	44.7	..	4	..	7	4	13	..	52	21.0	5
Puri	56	37	34.4	..	1	..	6	4	2	..	22	20.4	6
TOTAL	266	183	35.8	..	5	..	15	11	18	..	90	17.6	14

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile (included in total deaths); ..—Nil information;

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd May, 1958—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Pondicherry	68	74	56.6	4	3	4	2	26	19.9	17
Punjab													
Ambala	62	49	41.2	..	1	..	6	2	3	..	15	12.6	2
Amritsar	359	170	24.7	2	11	1	..	95	13.8	25
Batala	66	35	27.6	16	..	1	..	22	17.3	10
Bhiwanit†													
Ferozepore	47	20	22.2	3	5	..	10	11.1	2
Hissar†													
Hoshiarpur	54	30	29.0	4	1	1	..	11	10.6	2
Jullundur	230	110	24.9	13	6	11	..	47	10.7	10
Karnal	83	47	29.5	8	..	3	..	12	7.5	..
Ludhiana	194	125	33.5	11	..	17	..	47	12.6	12
Moga	45	29	33.6	4	..	1	..	6	7.0	3
Panipat	72	40	29.0	6	..	3	..	13	9.4	..
Pathankot	36	37	53.6	2	1	7	10.1	1
Rewari	40	14	18.3	3	6	7.8	1
Rohtak†													
Simla†													
Sonepat†													
Bhatinda†													
Malerkotla	35	21	31.3	6	1	9	13.4	..
Patiala	125	40	16.6	..	1	..	16	..	2	..	33	13.7	13
TOTAL	1,448	767	27.5	..	2	..	97	24	73	2	333	12.0	81
Rajasthan													
Ajmer	244	41	8.7	..	6	..	26	2	6	..	60	12.8	19
Alwar	61	37	31.5	1	2	4	..	23	19.6	4
Beawar	65	6	4.8	..	4	..	15	1	34	27.2	15
Bharatpur†													
Bikaner†													
Churu†													
Ganganagar	65	7	5.6	7	..	2	..	12	9.6	4
Jaipur	419	82	10.2	68	11	19	1	156	19.4	71
Jodhpur†													
Kotah	83	2	..	2	..	3	..	11	6.9	1
Sikar†													
Tonk†													
Udaipur	18	5	2.1	3	7	3.1	1
TOTAL	1,055	178	8.8	..	12	..	122	16	34	1	303	14.9	115
Uttar Pradesh													
Agra	404	365	47.0	6	80	..	135	17.4	35
Allahabad†													
Amroha	61	45	38.5	4	2	8	..	23	19.7	8
Bahraich	49	21	24.3	1	..	2	..	3	3.5	1
Banaras	416	166	20.8	46	5	10	..	149	18.7	42
Bandel†													
Bareilly	206	37	9.4	8	2	3	..	22	5.6	4
Basti†													
Ballia	37	4	5.6	2	3	4.2	..
Bijnor†													
Budhaun	55	20	19.0	4	..	1	..	12	11.4	6
Bulandshahr	45	4	4.6	2	2	2.3	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used.—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd May, 1958—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—<i>contd.</i>													
Chandausi	44	25	29.5	10	1	3	..	18	21.3	5
Dehra Dun	186	39	10.9	15	1	2	..	11	3.1	..
Etawah	65	39	31.3	1	8	..	30	24.1	7	
Faizabad Ayodhya	94	21	11.6	..	5	..	2	2	..	13	7.2	3	
Farukhabad-Fatehgarh	78	33	22.1	..	2	..	8	..	6	..	19	12.7	2
Ferozabad	93	25	14.0	2	..	2	..	12	6.7	3
Gazipur	35	10	14.6	6	..	1	..	10	14.6	1
Ghazipur	68	19	14.6	..	1	..	8	1	1	..	13	10.0	5
Gonda	35	6	8.9	1	4	5.9	1
Gorakhpur	150	42	14.6	9	..	11	..	27	9.4	7
Hapur	65	22	17.6	9	1	..	2	12	9.6	5
Hardwar	73	39	27.8	13	1	1	..	35	25.0	7
Hathras	65	27	21.6	29	3	16	..	49	39.2	13
Jaunpur	59	15	13.2	..	1	..	4	..	2	..	12	10.6	1
Jhansi	132	55	21.7	31	2	40	15.8	10
Kaipur	810	201	12.9	..	5	..	102	21	42	7	282	18.1	81
Kasganj	34	7	10.7	..	3	..	1	4	6.1	2
Khurja	43	13	16.5	13	..	1	..	16	20.3	3
Koil-Aligarh	167	66	20.6	39	1	6	..	56	17.5	11
Lucknow†	118	44	19.4	..	1	..	17	3	5	..	38	16.8	9
Mathura													
Maun-Nath Bhanjan†													
Meerut	198	75	19.7	14	2	6	1	32	8.4	6
Mirzapur Vindhya Chal	100	25	13.0	6	1	7	..	18	9.4	2
Moradabad	165	128	40.4	7	4	15	..	45	14.2	12
Muzaffarnagar	81	18	11.6	9	1	11	7.1	1
Pilibhit†													
Rampur†													
Saharanpur	178	97	28.4	46	1	64	18.7	22
Sambhal†													
Sitapur	52	8	8.0	2	..	2	..	10	10.0	2
Shahjahanpur	132	34	15.8	19	4	2	..	30	14.0	8
TOTAL	4,571	1,795	20.4	..	18	..	489	66	243	10	1,260	14.3	325

West Bengal

"N.R."

ARREAR INFORMATION

For w/e 26-4-1958

Pondicherry

Pondicherry	68	67	51.2	3	5	2	2	25	19.1	14
-------------	----	----	------	----	----	----	---	---	---	---	----	------	----

w/e 26-4-58 (Supplementary figures)

Punjab

Ferozepur	96	34	18.5	5	..	1	..	11	6.0	4
Moga	36	17	24.6	8	..	3	..	14	20.3	5

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; —Nil Information. "N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd May, 1958—*contd*

Town	Mid. Year Popn. Est. (ooo)	Deaths from :—											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Kerala												<i>w/e 19-4-1958</i>	
Trivandrum	247	76	16.0	5	5	31	6.5	..
Quilon†													
Alleppey†													
Changanacherry†													
Kottayam	55	42	39.7	5	4.7	..
Mattancherry	94	54	29.9	3	1	45	24.9	7
Ernakulam	77	56	37.8	2	18	12.2	2
Trichur	80	73	47.5	1	27	17.6	1
Cochin	33	9	14.2	1	..	1	..	10	15.8	3
Kezhikode.	187	85	23.6	14	3	6	..	77	21.4	15
Palghat	82	47	29.8	2	1	28	17.8	1
Cannanore	49	21	22.3	1	..	1	..	11	11.7	3
Tellecherry	43	33	39.9	2	4	15	18.1	1
TOTAL	947	496	27.2	31	14	8	..	267	14.7	33
Madhya Pradesh												<i>w/e 5-4-1958</i>	
Idore	423	185	22.7	..	9	..	11	..	7	..	111	13.6	40
Greater Gwalior	297	74	13.0	1	..	2	..	10	1.7	..
Ujjain	183	45	12.7	..	3	..	12	3	32	9.0	2
Khandwa	64	17	13.8	..	6	..	3	12	9.7	..
Burhanpur	85	51	31.2	..	14	..	4	1	36	22.0	..
Demoh	47	11	12.2	..	15	..	3	20	22.1	..
Mandsaur	44	6	7.0	..	1	..	1	2	2.3	..
Raigarh	39	5	6.7	5	1	..	3	13	17.3	..
TOTAL	1,182	394	17.3	5	49	..	38	4	9	..	2,36	10.4	42
<i>Supplementary Figures</i>												<i>w/e 8-3-58</i>	
Khandwa	64	22	17.9	..	9	..	5	..	1	..	16	13.0	..
Burhanpur	85	56	34.2	..	28	13	..	50	30.5	..
<i>w/e 15-3-58</i>												<i>w/e 22-3-58</i>	
Khandwa	64	19	15.4	..	12	..	4	19	15.4	..
Burhanpur	85	58	35.4	..	29	..	7	42	25.7	..
Raigarh	39	18	1.3	5	2	..	1	1	2	..	11	14.7	..
<i>w/e 29-3-58</i>												<i>far w/e 12-4-58</i>	
Khandwa	64	13	10.5	..	8	..	4	14	11.3	..
Burhanpur	85	51	31.2	..	13	..	9	..	3	..	33	20.1	..
Indore	423	167	20.5	..	10	..	15	..	6	..	89	10.9	26
Greater Gwalior	297	126	22.0	..	2	..	3	..	3	..	27	4.7	1
Ujjain	183	50	14.2	..	6	..	9	3	37	10.5	13
Khandwa	64	50	40.6	..	4	..	10	1	2	..	40	32.5	..
Burhanpur	85	42	25.6	..	11	..	12	36	22.0	..
Mandsaur	44	9	10.3	2	2	2.3	..
Dawoh	47	16	17.7	..	22	..	2	24	26.6	..
TOTAL	1,143	460	20.9	..	55	..	51	6	11	..	255	11.6	40

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths included in total deaths ; .—Nil information ;

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd May, 1958—contd.

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Andhra Pradesh													
<i>For w/e 12-4-1958</i>													
Adoni†													
Anantapur	42	21	26.0	4	7	1	1	26	32.2	..
Anakapalli†													
Bhimavaram	41	16	20.2	1	5	6.3	1
Chirala	48	23	25.0	6	10	10.8	..
Chittoor †													
Cuddapah	46	39	44.1	2	..	1	1	12	13.6	3
Eluru	108	40	19.3	5	1	5	2	36	17.3	..
Gudivada	40	14	18.2	3	1	1	..	8	10.4	1
Guntur	168	85	26.4	..	3	..	8	6	12	..	74	22.9	12
Guntakal	43	18	21.7	..	5	..	1	1	2	..	14	16.9	1
Kakinada	123	66	27.9	7	3	4	..	35	14.8	5
Kurnool	74	61	42.9	3	2	8	..	28	19.7	76
Masulipatam	95	36	19.7	1	..	1	1	14	7.7	2
Nandyal†													
Nellore†													
Proddatur	46	19	11.5	..	1	..	1	..	3	..	14	15.8	5
Rajahmundry	137	58	22.0	4	..	2	..	18	6.8	1
Tenali†													
Vijayawada†													
Visakhapatnam†													
Vizianagram	81	23	14.8	..	1	..	2	2	2	..	23	14.8	3
Hyderabad	1,291	742	29.7	20	..	47	..	221	8.8	7
Warrangal†													
Nizamabad	81	12	7.7	1	..	1	..	2	1.3	..
Kothagudem†													
Secunderabad	188	113	31.3	3	4	7	..	33	9.1	11
TOTAL	2,610	1,386	27.6	..	10	..	71	27	97	6	573	11.4	58
 Bihar													
<i>For w/e 26-4-58</i>													
Arrah	74	5	3.5	3	9	6.3	..
Bettiah†													
Bhagalpur	133	21	8.2	3	19	7.4	..
Bihar													
Chapra	70	11	8.2	..	2	..	1	5	3.7	..
Darbhanga	72	13	9.4	2	6	4.3	..
98	28	14.9	..	10	1	..	17	9.0	..
Dhaanbad	48	9	9.7	20	1	6	6.5	..
Dinapur	45	2	2.3	2	4	4.6	..
Gaya	159	20	6.5	15	4	11	1	41	13.4	..
Hazaribagh	42	9	11.1	4	5.0	..
Jamalpur	48	7	7.6	..	1	..	3	5	5.4	..
Jamshedpur	266	111	21.7	..	4	..	1	..	2	..	23	4.5	4
Katihar	60
Monghyr†													
Muzaffarpur	92	25	14.1	9	1	24	13.6	..
Patna	371	49	6.9	..	2	..	5	28	3.9	..
Ranchit†													
TOTAL	1,578	310	10.2	..	19	..	42	10	14	3	191	6.3	4

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :— B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd May, 1958—contd.

Deaths from :—

Town	Mid-year Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.		
		B.	BR.*	C.	S.	P.	F.	D.D.	R.D.	M.D.							
(Supplementary Figures)																	
w/e 5-4-1958																	
Andhra Pradesh																	
Proddatur	46	14	15.8	..	1	5	5.7	1				
Secunderabad	188	112	31.0	3	1	11	..	51	14.1	4				
Kothagudian	143	12	3				
w/e 19-4-1958																	
Proddatur	46	21	23.7	..	1	..	1	1	1	3	..	11	12.4	3			
West Bengal																	
w/e 8-3-1958																	
Assansol	96	4	2.2	..	1	3	1.6	..				
Baidyabati†	71	4	2.9	2	..	3	2.2	..				
Bally	71	4	2.9	3	3.1	..				
Bankura	751	13	13.3	1	3	11.1	9				
Bansberia†	99	13	6.8	..	1	..	2	1	6	..	21	11.1	..				
Baranagar	43	5	6.1	1	1.2	..				
Basirhat	69	28	21.2	..	4	..	2	20	15.1	4				
Berhampur	44	3	3.6	..	1	3	3.6	..				
Bhadrreswar	150	12	4.2	10	..	6	..	42	14.6	3				
Bhatpara	32	7	11.4	3	1	1	..	6	9.8	..				
Budge Budge.	85	22	13.5	..	2	3	..	12	7.4	..				
Burdwan	2931	817	14.5	9	21	..	38	46	148	1	622	11.1	141				
Calcutta	41	8	10.2	5	6.4	..				
Champdani	58	24	21.6	..	2	10	9.0	1				
Chandernagor	39	26	34.8	3	2	1	15	20.1	..				
Coch Behart†	37	16	22.5	..	3	..	1	7	9.9	..				
Darjeeling	131	13	5.2	..	1	..	3	..	1	..	9	3.6	2				
English Bazar	43	1	1.2	5	6.1	..				
Garden Reach	63	90	74.5	2	2	4	..	21	17.4	12				
Haldibari	47	13	14.4	3	..	2	..	8	8.9	..				
Hooghly Chinsura	87	28	16.8	4	5	3.0	..				
Kanarhati†	67	1	0.8	..	2	..	1	..	1	..	6	4.7	1				
Kanchrapara	104	12	6.0	1	0.5	..				
Kharegpur.	79	1				
Krishnagar	69	1	1	0.8	..				
Midnapur	47	13	11.6	5	61	..	10	13	41	..	186	20.3	51				
Nabadhip	87	28	16.8	3	..	1	..	6	5.7	..				
Naihati†	67	1	0.8	..	2	..	1	..	1	..	6	4.7	1				
North Barrackpore	37	1	1.4	1	..	2	2.8	..				
Panihati	76	2	..	5	3.4	..				
Purulia	52	7	7.0	2	3	3.0	..				
Santipur	55	10	9.5	..	3	4	1	..	3	2.8	..				
Serampore	92	13	7.4	..	3	..	4	1	4	..	19	10.8	6				
Siliguri†	114	2	0.9	..	2	3	1	6				
South Dum Dum	149	36	12.6	..	2	1	..	12	4.2	4				
South Suburban	85	6	3.7	..	2	..	11	1	2	..	18	11.0	4				
Titagarh	5728	1376	12.5	17	107	..	99	70	226	2	1083	9.8	229				

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used =Births; B.R.=Birth Rate C=Cholera; S.=Smallpox; P.=Plague; F.=Fevers; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Death; D.R.=Death Rate; I.D.=Infantile Deaths (Included in total deaths) Nil information

REMARKS

The figures of births and deaths shown in this statement for week ending the 3rd May, 1958 relate to 133 towns from the States of Bihar, Delhi, Madras, Mysore, Orissa, Pondicherry, Punjab, Rajasthan and Uttar Pradesh, with a population coverage of 19,395 thousands out of total population of 46,893 thousands in 319 towns of the country. The number of births and deaths recorded in these

towns were 8,574 and 4,646 registering birth and death rates of 23.0 and 12.5 per thousand of population respectively.

The only town of Hathras in Uttar Pradesh has recorded a high death rate of 39.2 per thousand of population. The following table gives the registered rates for different States:—

States	Current w/e 3-5-58		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Bihar . . .	9.6	8.5	13.6	6.1
Delhi . . .	15.5	7.5	21.4	8.7
Madras . . .	33.7	14.6	41.0	16.1
Mysore . . .	20.0	11.6	23.7	12.3
Orissa . . .	35.8	17.6	41.7	19.1
Pondicherry . . .	56.6	19.9	61.0	17.3
Punjab . . .	27.5	12.0	30.3	10.3
Rajasthan . . .	8.8	14.9	8.6	9.2
Uttar Pradesh . . .	20.4	14.3	24.7	12.6
India . . .	23.0	12.5	27.6	12.3

NEW DELHI-2 (INDIA);
The 26th May, 1958. }

H. R. SHARMA,
for Registrar General, India.